

Message

From: Hanchett, James (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MASSMAIL-01/CN=RECIPIENTS/CN=JAMES.HANCHETT]
Sent: 1/19/2012 5:19:10 PM
To: 'Mary Wiseman' [marym@oit.umass.edu]
Subject: RE: Speed type [REDACTED]

Thanks,

Jim

From: Mary Wiseman [mailto:marym@oit.umass.edu]
Sent: Wednesday, January 18, 2012 3:28 PM
To: Hanchett, James (DPH)
Subject: RE: Speed type [REDACTED]

Jim, you can disregard. The number I put down I transposed so the bookkeeper did not know it was valid. The number is correct.

I had [REDACTED]

Sorry for the confusion.

Mary

From: Mary Wiseman [mailto:marym@oit.umass.edu]
Sent: Wednesday, January 18, 2012 2:24 PM
To: 'Hanchett, James (DPH)'
Subject: RE: Speed type [REDACTED]

Yes, it was actually lower than estimated. The total amount is \$65.00 (1 hr @ 65 pr hr)

Mary

From: Hanchett, James (DPH) [mailto:james.hanchett@state.ma.us]
Sent: Wednesday, January 18, 2012 2:00 PM
To: 'Mary Wiseman'
Subject: RE: Speed type TF0100

Hi Mary,

I am working on the account number. Do you have a dollar amount for the work completed?

Thanks,

Jim Hanchett
Amherst Drug Lab

Room N251 Morrill I
637 North Pleasant Street
Amherst, MA 01003
Phone 413-545-2607
Fax 413-545-2608
Cell [REDACTED]

From: Mary Wiseman [<mailto:marym@oit.umass.edu>]
Sent: Wednesday, January 18, 2012 10:38 AM
To: Hanchett, James (DPH)
Subject: Speed type [REDACTED]

Hi Jim, on the work order to install the circuit in Morrill I put down speed type (account #) [REDACTED] but our bookkeeper said this number is no longer valid. Can you get me a valid speedtype/account # to charge it to please?

Thanks, Mary

Mary Wiseman
Telecommunications
Customer Service Rep.
5.3090